## Cherry SWEET SARETTA SWEET STEPHANY

## SWEET SARETTA® PA5UNIBO\*

Tree: high vigor, open canopy, wellbranched, standard fruiting habitus, very early bearing, remarkably high and constant cropping. Blossoming time: intermediate bloom, 1-2 days post B.Burlat, self-fertile (allelic profile: S3S4'). Fruits: very large size (average dominant size 30-32 mm); symmetrical heart-shape; shiny red skin (4 in CTIFL color scale) tending to shiny red vermilion skin at advanced ripening (5 in CTIFL color scale); firm flesh, sweet, good aromatic taste, mid-short peduncle.

Harvesting season: mid-late season, 23 days post B.Burlat, uniform ripening, optimal and long on-tree fruit lifespan.



## SWEET STEPHANY<sup>®</sup> PA7UNIBO\*

Tree: high vigor, open canopy, wellbranched, standard fruiting habitus, very early bearing, very high and constant cropping.

Blossoming time: intermediate bloom, 1-2 days post B.Burlat, self-fertile (allelic profile: S3S4'). Fruits: very large size (average dominant size 32-34 mm); symmetrical heart-shape; shiny red skin (4 in CTIFL color scale) tending to shiny purplish red skin at advanced ripening (5 in CTIFL color scale); firm flesh, sweet, good and aromatic taste.

Harvesting season: mid-late season, 27 days post B.Burlat, uniform ripening, optimal and long on-tree fruit lifespan.

